



Aalborg Universitet

AALBORG UNIVERSITY  
DENMARK

## Unique Effects of Pressure and Thermal History: Implications for Glass Mechanics and Chemical Strengthening

*Invited Talk*

Smedskjær, Morten Mattrup; Bauchy, Mathieu; Svenson, Mouritz Nolsøe; Mauro, John C.; Thirion, Lynn M.; Rzoska, Sylwester J.; Bockowski, Michal

*Publication date:*  
2015

*Document Version*  
Early version, also known as pre-print

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Smedskjær, M. M., Bauchy, M., Svenson, M. N., Mauro, J. C., Thirion, L. M., Rzoska, S. J., & Bockowski, M. (2015). *Unique Effects of Pressure and Thermal History: Implications for Glass Mechanics and Chemical Strengthening: Invited Talk*. Abstract from ACerS GOMD-DGG Joint Annual Meeting, Miami, United States. <http://ceramics.org/meetings/glass-optical-materials-division-and-deutsche-glastechnische-gesellschaft-joint-annual-meeting-2015>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### Take down policy

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# **Unique Effects of Pressure and Thermal History: Implications for Glass Mechanics and Chemical Strengthening**

Morten M. Smedskjaer<sup>1</sup>, Mathieu Bauchy<sup>2</sup>, Mouritz N. Svenson,<sup>1</sup> John C. Mauro<sup>3</sup>, Lynn M. Thirion<sup>3</sup>, Sylwester J. Rzoska<sup>4</sup>, Michal Bockowski<sup>4</sup>

<sup>1</sup> *Section of Chemistry, Aalborg University, Aalborg, Denmark*

<sup>2</sup> *Department of Civil and Environmental Engineering, University of California, Los Angeles, USA*

<sup>3</sup> *Science and Technology Division, Corning Incorporated, Corning, USA*

<sup>4</sup> *Institute of High-Pressure Physics, Polish Academy of Sciences, Warsaw, Poland*

The properties of glass are determined not only by temperature, pressure, and composition, but also by their complete thermal and pressure histories. Through both experiments and MD simulations, we reveal that glasses of identical composition produced through thermal annealing and through quenching from elevated pressure can result in samples with identical density and mean interatomic distances, yet different bond angle distributions, medium-range structures, and, thus, macroscopic properties. Specifically we show that changes in micromechanical properties (e.g., hardness) and an ion-exchange induced surface compressive stress are more pronounced when a density increase is obtained through thermal annealing rather than through pressure-quenching, since pressure-quenching has larger effect on medium-range order, while annealing has larger effect on short-range structures. On the other hand, the change in other properties such as alkali diffusivity and bulk modulus upon densification is independent of the type of treatment used to induce the density increase. Our work opens a new avenue towards industrially useful glasses that are identical in terms of composition and density, but with differences in some thermodynamic, mechanical, and rheological properties due to unique structural characteristics.